URBAN DISTRICT



OF CLECKHEATON.

Annual Report

OF THE

MEDICAL OFFICER OF HEALTH.

YEAR ENDED 31st DECEMBER, 1907.

J. A. SUTHERLAND, M.B., C.M.,

MEDICAL OFFICER.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

TOWN HALL,

CLECKHEATON,

February, 1908.

To the Chairman and Members

of the Urban District Council of Cleckheaton.

GENTLEMEN,

I have great pleasure in laying before you my second Annual Report on the Health and Sanitary condition of the District for the year ending 31st December, 1907.

At no time during the year has it been necessary to call your attention to anything of a serious nature, very different from 1906, when there was an outbreak of Diphtheria and also a heavy mortality from Infantile Diarrhœa.

The Birth Rate for the last few years has kept almost stationary, but this year is .44 above last.

The Death Rate this year is the lowest ever recorded and the Infantile Mortality is only 89.8, also the lowest ever recorded. The Zymotic death rate is only 21, a marked difference from the previous year, when it reached 4.24.

STATISTICAL MEMORANDA, 1907.

Population	ı, 1891					11826.
,,	1901		• • •			12520.
,,	estima	ted to:	middle o	f 1907		12930.
Inhabited	Houses	at end	of 1907		• • •	3375.
Acreage			1755 ac	res.		
Birth Rate	e		20,64.			
Death Rat	je	• • •	11.13.			
Other Death	Rates:					
	• • •					$\cdot 69.$
Zymotic (s	seven pri	incipal	diseases	s)		·21.
Respirator	y (exclu	ding P	hthisis)			3.24.
Infantile I	Mortality	y per 1	000 Birtl	hs	8	9.8.

VITAL STATISTICS FOR ENGLAND AND WALES.

		England and Wales.	Great Towns 76	Smaller Towns 142	England and Wales, less the 218 Towns.	Cleck- heaton.
Birth Rate Death Rate Zymotic Death Rate Infantile Mortality 1000 Births	 per 	26.3* 15.0* 1.26 118* *Lowest	27.0 15.4 1.54 127	$ \begin{array}{c c} 25.7 \\ 14.5 \\ 1.29 \\ 106 \end{array} $	25.6 14.7 0.91 122	20.64 11.13 $\cdot 21$ 89.8
		on record.				

VITAL STATISTICS.

POPULATION.—The population was estimated at the middle of the year as 12930, an increase on the previous year of 65. The population is distributed in the three Wards as follows:—

Cleckheaton	• • •	• • •	10,545
Scholes	• • •		1,740
Oakenshaw	• • •	• • •	645
	TOTAL	• • •	12,930

BIRTHS.—The total number of births registered during the year was 267, an increase of 7 on the preceding year. Of those infants 132 were males and 135 females. The total birth rate was 20.64, an increase of 1.44 on 1906. The rate for the whole of England and Wales was 26.3 per 1000 (lowest ever recorded), and the ratios of the past five years were as follows:—

Year.		Number.		Rate per 1000.
1903	• • •	279		22.04
1904		278		21.84
1905		278		21.72
1906	• • •	260	• • •	20.20
1907		267		20.64

The numbers and rates for each Ward are as follows:—

Ward.	1907 Rate per 1000	1906 Rate per 1000	1905 Rate per 10 00
Cleckheaton	$216 \dots 20 \cdot 48$	$207 \dots 19.61$	$230 \dots 22.20$
Scholes	$42 \dots 24 \cdot 13$	$42 \dots 24 \cdot 35$	$36 \dots 20.99$
Oakenshaw	$9 \dots 18.95$	$11 \dots 17.18$	$12 \dots 18.89$

ILLEGITIMACY.—The number of Illegitimate Births registered was 4, a decrease on the previous year of 5. This number is equal to a percentage of all births of 1.49.

QUARTERLY RETURNS OF BIRTHS.

	Males.	Females	S.	Total.
First Quarter	23	 44		67
Second ,,	41	 32		73
Third ,,	29	 27		56
Fourth ,,	39	 32		71
	-			
TOTALS	. 132	135		267

DEATHS.—The total number of deaths registered during the year was 144: of those, however, 1 occurred in the North Bierley Joint Hospital due to a Hunsworth and a Liversedge patient. I have received notification of the deaths of 2 Cleckheaton residents in the County Asylums and Infirmaries. The corrected number therefore becomes 144 or a decrease of 60 for the year. Of those deaths 66 were males and 78 females.

QUARTERLY RETURNS.

First Quarter Second ,, Third ,, Fourth ,,	Males. 20 16 9 21	• • •	Females 22 19 14 23	 Total. 42 35 23 44
TOTALS		• • •	78	 144

The total annual Death Rate is equal to 11·13, a decrease of 3.94 on the year before. The rate for England and Wales for the same period is 15·0 (lowest ever recorded).

COMPARATIVE TABLE FOR THE PAST TEN YEARS

 $1898. \ 1899. \ 1900. \ 1901. \ 1902. \ 1903. \ 1904. \ 1905. \ 1906. \ 1907. \ 15.89 \ 13.41 \ 14.77 \ 16.93 \ 13.34 \ 12.88 \ 15.71 \ 14.53 \ 15.07 \ 11.13$

Average for 10 years 14.36.

31st Dec., 1907.

The separate numbers and rates for each Ward were as follows:

TOHOWS.										
			190'	7.		1906	S.		1905.	
		No.]	Rate per	No.		Rate per	No.	Ratep	
				1000			1000.		100	0
Cleckheaton		116		11.00	172		16.38	158	15.0)3
Scholes	• • •	23		13.21	20		11.65	20	11.0	36
Oakenshaw	• • •	5	• • •	7.75	12		18.75	10	15.0	³⁷

It will be noted that the Birth Rate, which had remained practically stationary for several years, has this year increased .44. The Death Rate is considerably lower than last year, and is the lowest ever recorded.

INFANTILE MORTALITY.—The number of Infantile Deaths registered, i.e., of children under one year of age, was 24, a decrease of 10. This equals a percentage of all deaths of 16.52, a percentage of all births of 8.98, and a total annual death rate of 2.64. The Infantile Mortality is therefore 89.8, this being the rate per 1000 births as compared with 130.7 for last year and with 118.0 for England and Wales (lowest ever recorded).

RATES FOR THE PAST FOUR YEARS.

1904.	1905.	1906.	1907.
$158\ 2$	136.5	130.7	89.8

On analysing the figures we get the following results:

				1907	1906
Premature Birth and D	eficien	t Vitality	at Birth	9	8
Bronchitis		• • •	• • •	7	7
Diarrhœa		• • •		0	11
Meningitis		• • •	* • •	1	1
Convulsions (Teething)		• • •	• • •	3	2
Tuberculosis	• • •	• • •	• • •	2	1
Whooping Cough	• • •	• • •		0	4
Other Diseases	• • •	• • •	• • •	2	0
					والشبيط فمنسسينانين
	J	LATOT		24	34
					-

Over one year and under five years of age the number of deaths was 11, a decrease of 24. This gives a percentage of all deaths of 7.63, a percentage of all births of 4.11, and a total annual Death Rate of .85. The total number of deaths, therefore of children under 5 years of age was 35, a decrease of 35 on the previous year. This number is equal to a percentage of all deaths of 24.30, to a percentage of all births of 13.10, and a total annual death rate of 2.70, compared with 5.36 in 1906, and 3.97 in 1905.

TABULAR STATEMENT OF DEATHS AT ALL AGES.

Age	0-1	1-5	5-15	15-25	25-65	65 and upwards.
1907	24	11	5	5	38	61
1906	34	36	19	10	49	56
1905	38	12	8	14	59	57

SENILE MORTALITY.—The total number of deaths over 70 was 41, an increase of 12. Of these 13 were males and 28 females. The combined ages equal 3112 years, or an average of 75.90. The oldest inhabitants who died were a female and a male, each aged 86.

CAUSES OF DEATHS.

ZYMOTIC DISEASES.—From Zymotic Diseases 3 deaths occurred, a decrease of 52 from last year.

		1906.				
Disease.	No. of Deaths.	Percentage of all Deaths.	Death Rate for 1907.	No. of Deaths.	Percentage of all Deaths.	Death Rate for 1906.
Small Pox Measles Scarlet Fever Diphtheria Whooping Cough Enteric Fever Diarrhæa		0.00 0.00 0.00 .69 0.00 .69	0.00 0.00 0.00 .07 0.00 .07 .07	$\begin{bmatrix} 0 \\ 8 \\ 5 \\ 18 \\ 7 \\ 3 \\ 14 \end{bmatrix}$	00.0 3.92 2.45 8.82 3.43 1.47 6.86	$\begin{array}{c} 0.00 \\ 0.62 \\ 0.38 \\ 1.16 \\ 0.54 \\ 0.23 \\ 1.31 \end{array}$
TOTALS	3	2.07	•21	55	26-95	4.24

These 3 deaths are equal to a percentage of all deaths of 2.08, and to a total annual death rate of .23. In 1906 the rate was 26.9. For the year 1907 the rate for England and Wales was 1.26.

MORTALITY FROM SOME OTHER DISEASES.

Disease.	No. of Deaths.	Per cent of all Deaths.	\mathbf{Rate}	No, of Deaths.	Per cent of all Deaths.	Death Rate for 1906.	Death Rate for 1905.	Deaths in 1904.
Phthisis Diseases of Res-	7	4.86	0.54	6	2.94	0.46	1.47	26
piratory Organs		29.16	$3 \cdot 24$	33	16.17	2.56	$2 \cdot 11$	36
Heart Disease	15	10.41	1.16	23	11.27	1.78	1.79	21
Bright's Disease.	6	4.16	0.46	4	1.96	0.31	0.23	3
Influenza	2	1.38	0.15	2	0.98	0.15	0.15	1
Cancer	9	6.25	0.69	11	5.39	0.93	0.78	12
TOTALS	81	56.22	6.24	79	38.71	6.19	6.53	99

The 4 Erysipelas cases (3 of which occurred in Cleckheaton and 1 in Scholes) were not eligible for hospital treatment. Of the remaining 46 cases, there were removed 35 or 76.08.

REMOVAL PERCENTAGE FOR PAST FOUR YEARS.

1904 ... 87%. 1905 ... 90%. 1906 ... 83.8%. 1907 ... 76.08%.

HOSPITAL ACCOMMODATION.—The North Bierley Joint Hospital was equal to all requirements.

The Small Pox Hospital fortunately has not been requisitioned, but it is kept ready, so that if needed, it would be available in a few hours.

The number of Inquests held during the year was 4, as compared with 6 in 1906, 8 in 1905. and 6 in 1904; one case of accident, one suicide, and 2 from natural causes.

MORTUARY.—The Mortuary has been used once during the year, and on that occasion a post-mortem was carried out.

31st Dec., 1907.

DISPOSAL OF THE DEAD.—15 Interments had taken place in the Cemetery in Whitechapel Road. Total since opening of Cemetery, 82.

SANITARY ADMINISTRATION.

NOTIFICATION OF INFECTIOUS DISEASES.—The Notifications of Infectious Diseases received number 50, as compared with 147 in 1906, 105 in 1905, 99 in 1904 and 125 in 1903. Scarlatina 31, Diphtheria 9, Enteric Fever 6, Erysipelas 4, Puerperal Fever 1. Of these notifications 34 occurred in back-to-back houses and 16 in through houses.

DISTRIBUTION AND COMPARATIVE STATEMENT FOR THE PAST THREE YEARS.

		carlat	ina.		iteri Fev		Sm	all :	Pox	Ery	sipe	las.	Dip	hth	eria
WARD.	1007	1906	1905	1907	1906	1905	1907	1906	1905	1907	1906	1905	1907	1906	1905
Scholes	2	$egin{array}{c c} 4 & 55 \\ 7 & 30 \\ 0 & 2 \\ - & - \end{array}$	4	0	6 0 0	5 1 0	0	0 0 0	18 2 0	3 1 0	4 0 0	11 1 0	6 2 1	38 8 3	11 2 0
Totals	[3]	1 87	51	6	6	6	0	0	20	4	4	12	9	49	13

TABLE OF CASES SENT TO HOSPITAL.

WARD.		Scarlatina		Small Pox		Enteric Fever.		Diphtheria	
	1907	1906	1907	1906	1907	1906	1907	1906	
Cleckheaton	19	46	0	0	5	3	5	32	
Scholes	4	26	0	0	0	0	1	7	
Oakenshaw	0	2	0	0	_0	0	1	0	
Totals	23	74	0	0	5	3	7	39	

WATER CLOSETS, ETC.—During the year, 19 Earth Closets, 1 Waste Water Closet, 16 overhead and 10 underground flush W.C's, have been erected.

> In several parts of the district there are numerous privy middens that ought to be altered, and the change would certainly add to the salubrity of the district and the health of those in their vicinity.

SANITARY WORK.—Taken from form 572:

Class of Building.	No.	Sanitary Condition.
Common Lodging Houses	0	
District Council's Slaughter-house	1	Good
Private Slaughter-houses	. 8	do
Workshops	89	Clean and not overcrowded
Workplaces	17	do. do.
Bakehouses	13	Allinsatisfactory condition
Fried Fish Shops	10	do. do.
Cowsheds	32	Fairly satisfactory
Offensive Trades	0	

INSPECTION WORK.

				1907.	1906.	1905.
Houses Inspected		• • •	• • •	160	150	130
Factories	• • •	• • •		180	280	247
Privy Middens remove	d			32	47	56
Earth Closets erected				19	8	3
Water Closets erected				26	53	32
Waste Water Closets e			• • •	1	4	2
Drains, &c., Flushed (asing	135000 g	gallons			
of water)				150	226	167
Air Shafts erected				10	14	18

HOUSE ACCOMMODATION.—13 new houses have been built and certified for occupation during the year. All are throughhouses.

BACTERIOLOGICAL ANALYSES.—During the year 11 specimens were forwarded to the West Riding Laboratory at Wakefield, viz.:—Blood for Enteric Fever, 3; Throat Swabs for Diphtheria, 7; Sputum for Tuberculosis Bacillus, 1.

Water Supply.—The quality of the water supplied by the Bradford Corporation has been satisfactory, and has never been deficient in quantity.

SCAVENGING.—This work, carried out by the Council's staff, has on the whole been satisfactory.

SEWERAGE.—Several new main drains have been laid during the year, and the township has now a very efficient modern system. The sewage is by arrangement treated by a neighbouring authority. Scholes Ward sewage is satisfactory treated in its own area by irrigation, and that from Oakenshaw by precipitation.

SMOKE NUISANCE.—In a manufacturing district, this will always be more or less with us, but there is room for a good deal of improvement in some quarters. No smoke observations have been taken during the year.

DESTRUCTION OF REFUSE.—The Refuse Destructor continues to do good work, and figures relating to it will be found in the Sanitary Inspector's report.

OTHER STATISTICS.

VACCINATION.—By the courtesy of the Vaccination Officer I have been enabled to tabulate the following figures.

Infants Registered	1907. 267	1906. 260
,, Vaccinated at end of year , Deceased prior to possibility of Vaccination	$\begin{array}{c} \hline 142 \\ 27 \\ \hline \end{array}$	$\frac{457}{20}$
Postponements, Removals and Unvaccinated	88	79
Certificates of Conscientious Objections	10	4
$egin{array}{cccccccccccccccccccccccccccccccccccc$	267	260

From these figures the percentage of children living vaccinated was 59.16 as compared with 65.41 in 1906 and with 61.47 in 1905, and that of "Conscientious Objections" 3.74 compared with 1.53 in 1906, and with 0.72 in 1905.

HORSE AMBULANCE.—The Horse Ambulance has been used on 7 occasions for accidents and 19 times for the removal of invalids, a total of 26 times for the year. From the 3rd September, 1897, to date, it has been out on service 232 times, 78 for accidents and 154 for invalids.

31st Dec., 1907.

METEOROLOGY.—The year has been sunless and damp. The rainfall was heavier than in 1904, 1905 or 1906.

RAINFALL FOR PAST THREE YEARS.

TEMPERATURE.

Max. Min. Max. Min. Max.	7.
February 1.62 ,, 2.80 ,, 1.10 ,, 52 21 50 30 5 March 1.94 ,, 1.66 ,, 2.70 ,, 62 27 54 28 5 April 1.26 ,, 0.63 ,, 2.25 ,, 64 30 64 28 6 May 3.35 ,, 2.38 ,, 1.35 ,, 74 36 82 34 7 June 3.51 ,, 1.80 ,, 2.01 ,, 70 43 90 42 9 July 2.42 ,, 1.40 ,, 1.35 ,, 80 42 70 48 7 August 2.11 ,, 2.14 ,, 3.98 ,, 72 44 72 49 7 September 0.60 ,, 0.87 ,, 1.40 ,, 68 36 71 40 66 October 5.72 ,, 4.48 ,, 1.45 ,, 62 34 64 37 66 November 2.78 ,, 3.41 ,, 3.25 ,, 55 31 59 33 5	max. Min. 50 23 53 27 52 29 64 26 78 36 90 42 75 47 74 44 64 36 60 30 50 28 48 28

FACTORY ACT ADMINISTRATION.—Appended are figures details of the administration of this Act.

FACTORIES, WORKSHOPS, LAUNDRIES, WORKPLACES, and HOMEWORK.

1.—Inspection.

Including inspections made by Sanitary Inspectors or Inspectors of Nuisances.

Premises.	Number of					
Tromisos.	Inspections.	Written Notices.	Prose- cutions.			
Factories	180	Nil.	Nil.			
(Including Factory Laundries) Workshops	200	Nil.	Nil.			
(Including Workshop Laundries) Workplaces	30	Nil.	Nil.			
(Other than Outworkers' Premises included in Part 3 of this Penart)						
Report) Total	410	Nil.	Nil.			

21st Dec., 1907.

2.—Defects Found.

	Numb	oer of De	efects.	Number
Particulars.	Found.	Reme-died.	Referred to H.M. Inspector	Prosecu- tions.
Nuisances under the Public Health Health Act: Want of Cleanliness				

3.—REGISTERED WORKSHOPS.

Workshops on the Register at end of year.	Number.
Workshops on the Register (s. 132) at the end of 1907	89
Bakehouses	13
Total number of workshops on register	102

31st Dec., 1907.

4—OTHER MATTERS.

Class.	Number.
Matters notified to H.M. Inspector of Factories	•
Failure to affix Abstract of the Factory and Workshop Act (S. 133)	
Action taken in matters referred by H.M. Inspectors as remediable under the Public Health Act, but not under the Factory and Workshop Act (S. 5):	
Notified by H.M. Inspector	
Reports (of action taken) sent to H.M.	•
Inspector	•
Other	•
Underground Bakehouses (S. 101):	
In use during 1906	Nil.
Certificates granted during the year	Nil.
In use at the end of 1907	Nil.
Homework:	
List of Outworkers:	Number of Lists Outworkers
Lists received	
Addresses of outworkers:	
Forwarded to other Authorities	
Received from other Authorities	
Homework in unwholesome or infected premises:	
Notices prohibiting homework in unwholesome	Wearing Apparel Other
premises (S. 108)	•
Cases of infectious disease notified in home workers' premises	
Orders prohibiting homework in infected premises (S. 110)	1

Table C, 1907. CLECKHEATON SANITARY DISTRICT.

WATER SUPPLY.—Any development during 1907? No.

Developments still needed? Nil.

Has public supply been continuous? Yes.

Any complaint as to action on lead? No.

Sewerage.—Developments during 1907? 350 yards.

Developments still needed?

SEWAGE DISPOSAL.—Any complaint as to outfall Works? Sent out of district.

Scavenging.—Performed by Council's own staff.

Annual cost? £300.

Any inadequacy, and where? None.

Bye-Laws.—Any adopted or sanctioned during 1907? None.

ADOPTIVE ACTS.—Any steps taken for the consideration, adoption, or application of:

- (a) Notification of Births Act, 1907? No.
- (b) Public Health Acts Amendment Act, 1907? Under consideration.
- (c) Other Adoptive Acts? Nil.

Regulated Buildings, Trades, &c.	No. on Register.	Total No. of Inspections made.	General Conditions.	Legal Pro- ceedings (if any).
Common Lodging Houses Canal Boats Slaughter Houses Cowsheds Offensive Trades	$\begin{array}{c} 0 \\ 0 \\ 9 \\ 32 \\ 0 \end{array}$		All satisfactory Mostly good	

Cowsheds.—Any special inspection during 1907? Several.

Are measurements recorded? Yes.

Are "Rules for Milkers" still exhibited in all cowsheds? Yes.

Any action taken by outside Authorities, e.g., under "Milk Clauses" concerning milk supplied from this district? None.

31st Dec., 1907.

Infectious Disease.—What apparatus is available for disinfecting dwellings? Fumigation.

Any placards or handbills issued during 1907? No.

Schools.—Any ailment or contagious disease associated particularly with school-life during 1907? Remarkably free.

Any action taken or needed regarding sanitary condition of schools? No.

MIDWIVES ACT, 1902.—

Any information as to (a) the use of abortifacients? No.

(b) other malpractices? No.

DWELLINGS.—Number of houses built during 1907? 13.

General character? Through.

Do the new houses accord with Bye-Laws? Yes.

Who sees plans? Surveyor and Sanitary Inspector.

Any occupied houses unfit for habitation? None.

Any overcrowding of persons in houses? None known.

Any action taken under the Housing of the Working Classes Acts? No.

Is house-to-house inspection systematically made? Yes.

Are records kept? Yes.

INFANTILE MORTALITY.—

What organised effort to control it? None.

Any suggestions for action?

PREVENTION OF CONSUMPTION.—

Any system of Notification? Voluntarily notified by local practitioners on request of local authority.

Any sanitary inspection of patients' houses? Yes.

Any disinfecting of ditto? Yes.

Any distribution of advice? No.

Any action re spitting? No.

Any disinfection of public rooms, vehicles, etc.? Yes.

NUISANCES.—

Total number of nuisances in hand at close of 1906? 4.

At close of 1907? 9.

Reported during 1907? 69.

31st Dec., 1907.

Abated during 1907? 64.

Total number of legal notices served for abatement of nuisances during 1907? 39.

Total number of summonses or other legal proceedings? Nil.

No. of sink wastes disconnected during 1907?

Trapped? 30 approximately.

No. of closets newly constructed during 1907? 20.

Kinds: Earth 19, waste water 1.

No of closets reconstructed during 1907? 26.

Kinds: W.C. overhead 16, underground flush 10.

No. of house-drains tested? 12.

What method adopted? Smoke rocket.

METEOROLOGY.—Mean temperature for 1907? 63.0. Rainfall? 30.09 in.

WHAT ACTION HAS BEEN TAKEN in regard to the following matters?—

Seizure of unsound food? Nil. Prosecutions? Nil.

Samples under Sale of Foods and Drugs Acts? Nil. Prosecutions? Nil.

No. of smoke observations taken? Nil.

Legal notices? Nil. Summonses? Nil.

No of allotments provided under the Acts or otherwise during 1907? Nil.

BIRTHS DURING 1907.—

Males, 132. Females, 135. Total, 267.

Number illegitimate, included in above? 4.

Number of still births (not included)?

DEATHS DURING 1907.—

- (1) Gross Deaths, i.e., total actually registered in the district, without any correction? 144.
- (2) Nett Deaths, on which the rates are calculated?
 Males, 66. Females, 78. Total. 144.

Number uncertified, included in the above? None.

VITAL STATISTICS OF WHOLE DISTRICT DURING 1906-7.

TABLE I.

FHS AT ALL ONGING TO	THE DISTRICT.	Rate.\$	13	15.07	11.13
NE AG		Number.	12	204	144
Deaths of Residents	re	Institutions tions beyond the District.	11	10	27
Deaths of Non-	Residents registered	in Public Institu- tions in the District.	10	20	
TOTAL	IN	INSTITU- TIONS IN THE DISTRICT.	6	38	4
ct.	Ages.	Rate \$	8	16.63	11.13
in the Distri	At all Ages.	Number.	7	214	144
Total Deaths registered in the District.	Under 1 Year of Age.	Rate per 1000 Births registered	9	130.7	89.8
Total Deat	Under 1 X	Number.	2	34	24
BIRTHS.		Rate \$	4	20.20	20 64
BIR		Number.	3	260	267
teg to	smit I də.	sə noitsluqq sə to əlbbiM	I	1906 12865	1907 12930
		Year		1906	1907

\$ Rates in Colums 4, 8 and 13, calculated per 1000 of estimated population. Total population at all ages, 12520. Number of inhabited houses, 3051. Area of District in acres (exclusive of area covered by water)...1755. Average number of persons per house, 4.10.

31st Dec , 1907.

TABLE II.

VITAL STATISTICS OF SEPARATE LOCALITIES IN 1906 AND 1907.

NAMES OF LOCALITIES.	CLE	CKHI	EATO	N.	S	СНОІ	LES.		OA	KENS	SHAW	4
Year.	Population estimated to middle of each year.	Births Registered.	Deaths at all Ages.	Deaths under 1 year.	Population estimated to middle of each year.	Births Registered.	Deaths at all Ages.	Deaths under 1 year.	Population estimated to middle of each year.	Births Registered.	Deaths at all Ages.	Deaths under 1 year.
1906	10500	207	172	30	1725	42	20	4	640	11	12	0
1907	10545	216	116	20	1740	42	23	4	645	9	5	0

31st Dec., 1907.

TABLE III.

CASES OF INFECTIOUS DISEASE NOTIFIED DURING THE YEAR 1907.

													4	
	Case	es no	tifie	d in v	whole	e dist	crict.	no	al Ca tifled a loca	lin	mov	from	Hos	pital h
NOTIFIABLE DISEASE.	es,		At	Ages	—Ye	ars.		ton.		. • M	ton.		ь.	s re- spital.
	At all Ages,	Under 1.	1 to 5	5 to 15	15 to 25	25 to 65	65 and upwards	Cleckheaton.	Scholes.	Oakenshaw.	Cleckheaton	Scholes.	Oakenshaw.	Total Cases removed to Hospital
Small-pox														
Cholera														
Diphtheria (including Membranous croup)	9		2	6		1		6	2	1	5	1	1	7
Erysipelas	4					4		3	1					
Scarlet fever	31		13	16	1	1		24	7		19	4		23
Typhus fever		1	1											
Enteric fever	6			2	1	3		5		1	5			5
Relapsing fever								e.						
Continued fever														
Puerperal fever														
Plague			-											
TOTALS	50	0	15	24	2	9	0	38	10	2	29	5	1	35

TABLE IV.

CAUSES OF, AND AGES AT, DEATH DURING YEAR 1907.

	Deat whe	hs at the	e subjo curing	ined ag in or be	es of "eyond the	Reside he Dist	nts ''
CAUSES OF DEATH.	All	Under 1 year.	1 and under 5.	5 and under 15.	15 and under 25	25 and under 65	65 and up- wards
1	2_	3	4	5	6	7	8
Small-pox				1	1	1	1
Enteritis	0 0 0 0 7 1 10 42	1 8	8	2	1	4 5 12	5
Other diseases of Respiratory organs Alcoholism, Cirrhosis of liver Venereal diseases Premature birth Diseases and accidents of par-	1 3 1 9	9	0		1	3 1	1
turition Heart diseases Accidents Suicides	0 15 1 1			1		4	10
All other causes	50	6	3	1	2	8	30
All causes	146	24	11	5	5	40	61

31st Dec., 1907.

TABLE V.

INFANTILE MORTALITY DURING THE YEAR 1907.

Deaths from stated Causes in Weeks and Months under One Year of Age.

	CAUSE OF DE	АТН.			Under 1 Week	1—2 Weeks.
ALL CAUSES.	(Certified Uncertified	•••		•••	8	2
i. Common Infecticus Diseases.	Small-pox Chicken-pox Measles Scarlet Fever Diphtheria (include Whooping Cough	 ling Men	 nbranous Ci	 roup)		
ii. Diarrhœal Diseases.	Diarrhœa, all forn Enteritis, Muco-e Gastritis, Gastro-i	nteritis,		eritis 		
iii. Wasting Diseases.	Premature Birth Congenital Defect Injury at Birth Want of Breast-m Atrophy, Debility	 nilk, Star		• • •	4 1 2	1
iv. Tuberculous Diseases.	Tuberculous Meni Tuberculous Perit Other Tuberculou	conitis: T		itercia		
v. Other Causes.	Erysipelas Syphilis Rickets Meningitis (not To Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overl Other Causes	•••	··· ··· ··· ··· ··· ··· ···		1	1
			TOTAL	• • •	8	2

Births in the Year | Legitimate, 263. Deaths in | Legitimate Infants, 24. the year of | Illegitimate Infants, 0. Deaths from all Causes at all Ages...116.

TABLE V.

INFANTILE MORTALITY DURING THE YEAR 1907.

Deaths from stated Causes in Weeks and Months under One Year of Age.

2—3 Weeks.	3-4 Weeks.	Total under 1 month.	1-2 Months.	2-3 Months.	3-4 Months.	4-5 Months.	5-6 Months.	6-7 Months.	7-8 Months.	8-9 Months.	9-10 Months.	10-11 Months.	11—12 Months.	Total Deaths under One Year.
5	1 0	16 0	4 0	0	1 0	1 0	0	1 0	0	0	1 0	0	0	24 0
														·
3		7												7
		1												1
1	1	5			1									5
1		2 1	4			1		1			1			1 2 7
5	1	16	4	0	1	1	0	1	0	0	1	0	0	24

Population. Estimated to middle of 1907...12930.

Table showing Population, Births, etc., in some West Riding towns from which Returns were received.

E		POPULA- TION,	BIR	BIRTHS.	DEA	EATHS.	Zymotic	Phthisis	Respira- tory	Infantile	No. of Notifica-
TOWN		1907.	No.	Rate Per 1000.	No.	Rate per 1000	Rate.	Rate.	Death Rate.	per 1000.	tions received.
Brighouse	•	22280	422	18.9	290	13.01	1.12	1.03	3.01	.66	92
Liversedge	•	14942	389	80.93	169	6.11	97.	1.5	6.1	82.2	55
Mirfield	•	11155	226	20.26	183	16.85	1.6			97.4	105
Pudsey		13800	908	22.1	191	~¶	9.	œ.	2.4	130.0	20
Cleckheaton	•	12930	267	20.64	144	11.13	.21	.54	3.24	89.8	20

JOHN A. SUTHERLAND, M.B., C.M.,

MEDICAL OFFICER OF HEALTH